


GENERAL DIMENSIONS

Shell Length Code	L inch (mm)	P Standard inch (mm)	S Span in (mm)	Empty Weight lb (kg)
-1	49.5 (1257)	42 (1067)	28 (711)	17 (8)
-2	89.5 (2273)	82 (2083)	56 (1422)	25 (11)
-3	129.5 (3289)	122 (3099)	80 (2032)	33 (15)
-4	169.5 (4305)	162 (4115)	2 @ 64 (2 @ 1626)	40 (18)
-5	209.5 (5321)	202 (5131)	2 @ 78 (2 @ 1981)	48 (22)
-6	249.5 (6337)	242 (6147)	2 @ 92 (2 @ 2337)	56 (25)

SIDE PORTS CONFIGURATION



BILL OF MATERIALS

ITEM	QTY	P/N	DESCRIPTION	MATERIAL
1	1	3040022	Shell	Filament Wound, Epoxy FRP
2	2	4040026	Bearing Plate	6061-T6 Aluminum, SB-221
3	2	4040030-1	Sealing Plate	PVC Thermoplastic
4	A/R	4040031-1	Feed/Concentrate Port	Stainless Steel, 316L, SA-312
5	A/R	6120125	Retaining Ring, F/C Port	Stainless Steel, 300 Series, SA-479
6	A/R	6110218	Seal, F/C Port, Square Seal	Ethylene Propylene
7				
8	2	4040052-1	Permeate Port	PVC Thermoplastic
9	2	6180342	Head Seal, O-Ring	Ethylene Propylene
10	2	6110221	Permeate Port Seal, Square Seal	Ethylene Propylene
11	2	4040079	Retaining Ring w/ Finger Pull	Stainless Steel, 316 Series, SA-479
12	2	6121100	Retaining Ring, Permeate Port	Stainless Steel, 316 Series, SA-479
13	2*	4040037	Support Saddle	Polyurethane
14	2	4040040	Strap Assembly	Stainless Steel, 300 Series
15	4	6150001	Strap Screw	Stainless Steel, 300 Series
16	2	A/R	Adapter	PVC Thermoplastic
17				
18	2	6180116	Adapter Seal, O-Ring	Ethylene Propylene
19	2	A/R	PWT Seal, O-Ring	Ethylene Propylene

*3 each with shell length -4 and longer

NOTES:

DIMENSIONS IN INCHES (MM APPROX.)

FOR REFERENCE ONLY, NOT TO BE USED FOR CONSTRUCTION UNLESS CERTIFIED

CENTER VESSEL ON 2 OR 3 SUPPORTS AT SPAN(S) "S". 3 SUPPORTS REQUIRED FOR LENGTHS -4 AND OVER

INCORRECT MANIFOLDING WILL CAUSE SEVERE LOCAL STRESS AROUND PORT AND MAY RESULT IN LEAKS AND PREMATURE FAILURE. TAKE EVERY PRECAUTION LISTED IN THIS PACKET.

INTERNAL PERMEATE PRESSURE MUST NOT EXCEED 125 PSI.

AS PER ASME AND CRN REQUIRED
ASME SECTION X 2019, RP/NB STAMP REQUIRED FOR CRN

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



PRO 4-300-SP

ENGR	AP	21/25/01
QLTY	WJ	21/25/01
MRKT	DWE	21/25/01

ECO	REVISED	DRAWING	REV
10119	21/25/01	104001	I